

**AMENDMENTS TO THE CLAIMS**

Please amend the claims as follows.

1. (Currently Amended) A computer system for dynamically generating a user interface comprising:
  - a memory configured to store a UI view definition for the user interface; and
  - a processor configured to execute a UI view manager, wherein the UI view manager comprises functionality to dynamically generate, at run-time, the user interface from the UI view definition, wherein the UI view definition specifies a layout of a plurality of panels in the user interface,
  - wherein the UI view manager instantiates, as part of the user interface, the plurality of panels,
  - wherein each of the plurality of panels comprises a wrapped control,
  - wherein each wrapped control comprises a control and a wrapper,
  - wherein at least one wrapped control is generated using a development license key for the control,
  - wherein a run-time license key is required to execute the at least one wrapped controller,
  - wherein each wrapper provides an interface between the control and the UI view manager,
  - wherein each control comprises an application,
  - wherein each application generates a graphical output; and
  - wherein the output of each control is displayed, using the UI view manager, in the one of the plurality of panels in which the control is located.
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)

6. (Previously Presented) The computer system of claim 1 wherein the UI view manager is operable to dynamically change at run-time a function of at least one of the wrapped controls.
7. (Previously Presented) The computer system of claim 1 further comprising: a UI container, wherein the user interface is provided within an environment provided by the UI container.
8. (Cancelled)
9. (Previously Presented) The computer system of claim 1 wherein the UI view manager instantiates at least one of the wrapped controls as part of the user interface by: providing functionality of the at least one wrapped control to be performed in response to activating a user interface element of the at least one wrapped control in the user interface.
10. (Cancelled)
11. (Previously Presented) The computer system of claim 1 wherein the UI view manager comprises an implementation of a UI view interface and at least one of the wrapped controls invokes a function of the UI view interface implementation of the UI view interface to communicate with the UI view manager.
12. (Previously Presented) The computer system of claim 1 wherein the UI view manager is operable to dynamically at run-time generate the user interface in response to a change to the UI view definition.
13. (Previously Presented) The computer system of claim 1 further comprising: a user interface designer for providing the UI view definition.
14. (Previously Presented) The computer system of claim 1 wherein the UI view definition corresponds to an XML file.

15. (Previously Presented) The computer system of claim 1 wherein the UI view definition comprises a control definition for the wrapped control, wherein the control definition specifies a user interface element of the wrapped control and a program identifier of code to provide functionality of the wrapped control.
16. (Cancelled)
17. (Cancelled)
18. (Currently Amended) A method for providing a user interface comprising the steps of:  
generating a user interface from a UI view definition, wherein the UI view definition specifies a layout of a plurality of panels in the user interface; and  
dynamically editing, at run-time, the user interface using the UI view definition to change the user interface,  
wherein user interface comprises the plurality of panels,  
wherein each of the plurality of panels comprises a wrapped control,  
wherein each wrapped control comprises a control and a wrapper,  
wherein at least one wrapped control is generated using a development license key for the control,  
wherein a run-time license key is required to execute the at least one wrapped controller,  
wherein each wrapper provides an interface between the control and the UI view manager,  
wherein each control comprises an application,  
wherein each application generates a graphical output; and  
wherein the output of each control is displayed, using the UI view manager, in the one of the plurality of panels in which the control is located.
19. (Previously Presented) The method of claim 18 further comprising: dynamically at run-time adding a new wrapped control to the user interface.
20. (Previously Presented) The method of claim 18 further comprising: dynamically at run-time changing a function of at least one of the wrapped controls.

21. (Previously Presented) The method of claim 18 further comprising: dynamically at run-time removing one of the wrapped controls from the user interface.
22. (Cancelled)
23. (Cancelled)
24. (Previously Presented) The method of claim 18 wherein at least one of the wrappers implementing at least one function of a control interface.
25. (Currently Amended) The method of claim 24 wherein the at least one function is selected from a group consisting of a first function to cause at least one of the controls to read its internal data, a second function to cause at least one of the controls to load a property of at least one of the controls from the UI view definition, a third function to save a property of at least one of the controls to the UI view definition, ~~a fourth function to return a license key for at least one of the controls,~~ a ~~[[fifth]]~~ fourth function to initialize a property of at least one of the controls, and a sixth function to receive a notification about a user interface event.
26. (Currently Amended) The method of claim 18 further comprising: generating a UI view manager by implementing at least one function of an UI view interface the function selected from the set a first function returning a table of references to business objects, a second function returning a parameter to provide scope of access to at least one of the controls of the user interface, a third function to register at least one of the controls for providing alarm information to at least one of the controls, a fourth function to deregister at least one of the controls to terminate providing alarm information to at least one the control, a fifth function to create a panel for housing at least one of the controls, a sixth function to create a panel for adding at least one of the controls to one of the plurality of panels, a seventh function to remove one of the plurality of panels from the user interface, an eighth function to remove at least one of the controls from one of the plurality of panels, a ninth function to activate or deactivate at least one of the controls, and a tenth function to display a text message of at least one of the controls on a status message panel.

27. (Currently Amended) A computer system for dynamically generating a user interface comprising:

- a processor;
- a display screen, coupled to said processor;
- computer readable medium coupled to said processor; and
- computer code, encoded in said computer readable medium, configured to:
  - generate a user interface from a UI view definition, wherein the UI view definition specifies a layout of a plurality of panels in the user interface; and
  - dynamically edit, at run-time, the user interface using the UI view definition to change the user interface,
- wherein user interface comprises the plurality of panels,
- wherein each of the plurality of panels comprises a wrapped control,
- wherein each wrapped control comprises a control and a wrapper,
- wherein at least one wrapped control is generated using a development license key for the control,
- wherein a run-time license key is required to execute the at least one wrapped controller,
- wherein each wrapper provides an interface between the control and the UI view manager,
- wherein each control comprises an application,
- wherein each application generates a graphical output; and
- wherein the output of each control is displayed, using the UI view manager, in the one of the plurality of panels in which the control is located.

28. (Previously Presented) The computer system of claim 27 wherein said processor is further configured to dynamically add at run-time a new wrapped control to the user interface.

29. (Previously Presented) The computer system of claim 27 wherein said processor is further configured to dynamically change at run-time a function of at least one of the wrapped controls.

30. (Previously Presented) The computer system of claim 27 wherein said processor is further configured to dynamically remove at run-time one of the wrapped controls from the user interface.
31. (Cancelled)
32. (Cancelled)
33. (Currently Amended) A computer-readable medium having stored thereon a program which is executable by a processor, the program comprising instructions for:
- dynamically generating, at run-time, a user interface from a UI view definition, wherein the UI view definition specifies a layout of a plurality of panels in the user interface; and
  - dynamically editing, at run-time, the user interface using the UI view definition to change the user interface,
  - wherein user interface comprises the plurality of panels,
  - wherein each of the plurality of panels comprises a wrapped control,
  - wherein each wrapped control comprises a control and a wrapper,
  - wherein at least one wrapped control is generated using a development license key for the control,
  - wherein a run-time license key is required to execute the at least one wrapped controller,
  - wherein each wrapper provides an interface between the control and the UI view manager,
  - wherein each control comprises an application,
  - wherein each application generates a graphical output; and
  - wherein the output of each control is displayed, using the UI view manager, in the one of the plurality of panels in which the control is located.
34. (Previously Presented) The computer-readable medium of claim 33 further comprising instructions for: dynamically adding at run-time a new wrapped control to the user interface.

35. (Previously Presented) The computer-readable medium of claim 33 further comprising:  
instructions for dynamically changing at run-time a function of at least one of the wrapped controls.
36. (Previously Presented) The computer-readable medium of claim 33 further comprising  
instructions for dynamically removing at run-time one of the wrapped controls from the user interface.
37. (Cancelled)
38. (Cancelled)
39. (Currently Amended) An apparatus dynamically modifying a user interface comprising:  
generating means for dynamically generating at run-time a user interface from a UI view definition, wherein the UI view definition specifies a layout of a plurality of panels in the user interface;  
adding means for dynamically adding, at run-time, a new wrapper control to the user interface;  
changing means for dynamically changing, at run-time, a function of at least one of the wrapped controls; and  
removing means for dynamically removing, at run-time, one of the wrapped controls from the user interface,  
wherein user interface comprises the plurality of panels,  
wherein each of the plurality of panels comprises a wrapped control,  
wherein each wrapped control comprises a control and a wrapper,  
wherein at least one wrapped control is generated using a development license key for the control,  
wherein a run-time license key is required to execute the at least one wrapped controller,  
wherein each wrapper provides an interface between the control and the UI view manager,  
wherein each control comprises an application,  
wherein each application generates a graphical output; and

wherein the output of each control is displayed, using the UI view manager, in the one of the plurality of panels in which the control is located.

40. (Cancelled) – 48. (Cancelled)